
Printing date 06/30/2017

Reviewed on 06/30/2017

### 1 Identification

- · Product identifier
- · Trade name: <u>KMS CORE RESET SPRAY</u>
- · Article number: 122097 200ml / 122098 25ml
- · Application of the substance / the mixture Hair cosmetics
- Manufacturer/Supplier: Kao USA Inc.
   2535 Spring Grove Avenue Cincinnati, Ohio 45214 / USA KaoGermanySDS @kao.com
- · Information department: CHEMTREC
- Emergency telephone number: CHEMTREC (US): (0800) 424-9300 CHEMTREC (Outside US): +1 (703) 527-3887 (24h)

### 2 Hazard(s) identification



Printing date 06/30/2017

Reviewed on 06/30/2017

#### Trade name: KMS CORE RESET SPRAY

(Contd. of page 1)

#### HMIS-ratings (scale 0 - 4)



#### · Other hazards

· Results of PBT and vPvB assessment

· **PBT:** Not applicable.

· vPvB: Not applicable.

### 3 Composition/information on ingredients

#### · Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:				
CAS: 64-17-5	ethanol	🚸 Flam. Liq. 2, H225	15-20%	
CAS: 79-33-4	Acide lactique	Eye Dam. 1, H318 Skin Irrit. 2, H315	0.1- <u>≤</u> 2.5%	
CAS: 100-51-6		🚸 Acute Tox. 4, H302; Eye Irrit. 2A, H319	<i>0.1-</i> <u>≤</u> 2.5%	
CAS: 6915-15-7	malic acid	🚸 Skin Irrit. 2, H315; Eye Irrit. 2A, H319	0.1- <u>&lt;</u> 2.5%	

### 4 First-aid measures

· Description of first aid measures

• After inhalation: Supply fresh air; consult doctor in case of complaints.

• After skin contact: Generally the product does not irritate the skin.

· After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. • After swallowing: If symptoms persist consult doctor.

- · Information for doctor: Treat symptomatically.
- · Most important symptoms and effects, both acute and delayed
- No further relevant information available.
- Indication of any immediate medical attention and special treatment needed
   No further relevant information available.

### 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- **Special hazards arising from the substance or mixture** No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

### 6 Accidental release measures

• Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.

· Environmental precautions: Do not allow to enter sewers/ surface or ground water.

(Contd. on page 3)

US

(Contd. of page 2)

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/30/2017

### Trade name: KMS CORE RESET SPRAY

• Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.

Reference to other sections
 See Section 7 for information on safe handling.
 See Section 8 for information on personal protection equipment.
 See Section 13 for disposal information.

### 7 Handling and storage

- · Handling:
- Precautions for safe handling No special precautions are necessary if used correctly.
   Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke. Protect against electrostatic charges.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

### 8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see item 7.

- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

### CAS: 100-51-6 Benzyl alcohol (0.1-≤2.%)

WEEL Long-term value: 10 ppm

- Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:
- Immediately remove all solled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes.
- Avoid contact with the eyes and skin.
- · Breathing equipment: Not required.
- · Protection of hands:



Not required under normal conditions. The details concerned are recommendations. The glove material has to be impermeable and resistant to the product / the substance / the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation. - Please contact the glove supplier for futher information.

· Material of gloves

(Contd. on page 4)

US

Printing date 06/30/2017

Reviewed on 06/30/2017

#### Trade name: KMS CORE RESET SPRAY

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

### • **Penetration time of glove material** The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

### · Eye protection:



Not required under normal conditions If there is a risk of splashing: safety glasses

Information on basic physical and	chemical properties
General Information	
Appearance:	
Form:	Liquid
Color:	Colorless
Odor:	Characteristic
Odor threshold:	Not determined.
pH-value at 20 °C (68 °F):	3.4
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Undetermined.
Flash point:	32 °C (90 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Vapor pressure:	Not determined.
Density at 20 °C (68 °F):	0 g/cm³ (0 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wat	ter): Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic at 20 °C (68 °F):	0 s (DIN 53211/4)
Solvent content:	
Organic solvents:	18.7 %
Water:	74.8 %
VOC content:	18.7 %
Solids content:	5.4 %

US

(Contd. of page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/30/2017

Trade name: KMS CORE RESET SPRAY

· Other information

No further relevant information available.

### 10 Stability and reactivity

- · Reactivity No dangerous reactions known if used as directed.
- · Chemical stability The product is stable under standard conditions.
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- on the eye: Irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

CAS: 64-17-5 ethanol

· NTP (National Toxicology Program)

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

(Contd. on page 6)

US

1

Printing date 06/30/2017

Reviewed on 06/30/2017

Trade name: KMS CORE RESET SPRAY

(Contd. of page 5)

### 13 Disposal considerations

· Uncleaned packagings:

• Recommendation: Disposal must be made according to official regulations.

UN-Number	
DOT, ADR/RID/ADN, IMDG, IATA	UN1993
UN proper shipping name	
DOT	Flammable liquids, n.o.s. (Ethanol)
IMDG, IATA	FLAMMABLE LIQUID, N.O.S. (ETHANOL)
Transport hazard class(es)	
DOT	
CUMBER LOOK	
Class	3 Flammable liquids
Label	3
ADR/RID/ADN, IMDG, IATA	
Class	3 Flammable liquids
Label	3
· Packing group · DOT, ADR/RID/ADN, IMDG, IATA	<i>III</i>
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Flammable liquids
Danger code (Kemler):	30
EMS Number:	F-E, <u>S-E</u>
<ul> <li>Segregation groups</li> <li>Stowage Category</li> </ul>	Alkalis A
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	**
Quantity limitations	On passenger aircraft/rail: 5 L
• -	On cargo aircraft only: 60 L
- IMDG	
Limited quantities (LQ)	5L
Excepted quantities (ÉQ)	Code: E1
- • •	Maximum net quantity per inner packaging: 30 ml

(Contd. of page 6)

### Safety Data Sheet acc. to OSHA HCS

Printing date 06/30/2017

Reviewed on 06/30/2017

Trade name: KMS CORE RESET SPRAY

· UN "Model Regulation":

UN 1993 FLAMMABLE LIQUIDS, N.O.S. (ETHANOL), 3, III

### 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- Section 313 (Specific toxic chemical listings):
- None of the ingredients is listed.
- TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

• Chemicals known to cause reproductive toxicity for males:

- None of the ingredients is listed.
- · Chemicals known to cause developmental toxicity:
- CAS: 64-17-5 ethanol
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

CAS: 64-17-5 ethanol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

- None of the ingredients is listed.
- · Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases
 H225 Highly flammable liquid and vapor.
 H302 Harmful if swallowed.
 H315 Causes skin irritation.
 H318 Causes serious eye damage.
 H319 Causes serious eye irritation.

· Department issuing SDS: Regulatory Affairs

· Date of preparation / last revision 06/30/2017 / 3

• Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association

(Contd. on page 8)

A3

US

Printing date 06/30/2017

Reviewed on 06/30/2017

### Trade name: KMS CORE RESET SPRAY

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Dam. 1: Serious eye damage/eye irritation – Category 1 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A • * <b>Data compared to the previous version altered.</b>	(Contd. of page 7)