

Printing date 11/03/2022 Reviewed on 11/03/2022

1 Identification

- · Product identifier
- · Trade name: KMS HAIRPLAY Playable Texture [200ml; 75ml]
- · Article number / Bulk number 137055; 137054
- · Product category PC39 Cosmetics, personal care products
- · Application of the substance / the mixture Hair cosmetics
- · Manufacturer/Supplier:

Kao USA Inc.

2535 Spring Grove Avenue Cincinnati, Ohio 45214 / USA KaoGermanySDS@kao.com

- · Information department: CHEMTREC
- Emergency telephone number: CHEMTREC (US): (0800) 424-9300

CHEMTREC (Outside US): +1 (703) 527-3887 (24h)

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Aerosols 1 H222 Extremely flammable aerosol.

Gases under Pressure - Compressed gas H280 Contains gas under pressure; may explode if

heated.

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · Hazard pictograms







GHS02 GHS04

- · **Signal word** Danger
- · Hazard-determining components of labeling:

Pentane

dipentene

Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source.
P251 Pressurized container: Do not pierce or burn, even after use.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P331 Do NOT induce vomiting.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

(Contd. on page 2)

Printing date 11/03/2022 Reviewed on 11/03/2022

Trade name: KMS HAIRPLAY Playable Texture [200ml; 75ml]

(Contd. of page 1)

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 4 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- PBT: Not applicable.vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous components:		
CAS: 64-17-5	Ethanol	30-50%
	♦ Flammable Liquids 2, H225	
CAS: 109-66-0		10-15%
	 Flammable Liquids 2, H225 Aspiration Hazard 1, H304 Specific Target Organ Toxicity - Single Exposure 3, H336 	
CAS: 67-63-0	Isopropanol Flammable Liquids 2, H225 Eye Irritation 2A, H319; Specific Target Organ Toxicity - Single Exposure 3, H336	≤2.5%

4 First-aid measures

- · Description of first aid measures
- · General information: No special measures required.
- After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

Generally the product does not irritate the skin.

- After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor: Treat symptomatically.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

(Contd. on page 3)

Printing date 11/03/2022 Reviewed on 11/03/2022

Trade name: KMS HAIRPLAY Playable Texture [200ml; 75ml]

(Contd. of page 2)

Vapors can form a highly flammable mixture with air

There is an overpressure. Fire or strong heat can cause violent rupture of packing.

Hazardous thermal decomposition products:

Hydrogen fluoride; fluorinated ingredients, carbon oxides,

Inhalation of decomposition products can cause health damage.

- Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Highly flammable. Vapours are heavier than air and may spread along floors. Vapours or gases may travel considerable distances to ignition source and flash back.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- Environmental precautions: Do not allow to penetrate the ground/soil.
- Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 64-17-5 Ethanol

TLV Short-term value: 1000 ppm

A.3

(Contd. on page 4)

Printing date 11/03/2022 Reviewed on 11/03/2022

Trade name: KMS HAIRPLAY Playable Texture [200ml; 75ml]

(Contd. of page 3)

CAS: 109-66-0 Pentane

TLV Long-term value: 1000 ppm

CAS: 67-63-0 Isopropanol

PEL Long-term value: 980 mg/m³, 400 ppm REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm

TLV Short-term value: 400 ppm Long-term value: 200 ppm

BEI, A4

Ingredients with biological limit values:

CAS: 67-63-0 Isopropanol

BEI 40 mg/L

Medium: urine

Time: end of shift at end of workweek

Parameter: Acetone (background, nonspecific)

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

- Breathing equipment: Not required.
- Protection of hands:



Protective gloves

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Goggles recommended during refilling.

9 Physical and chemical properties

- Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Aerosol
Color: Colorless
Odor: Characteristic

(Contd. on page 5)

Printing date 11/03/2022 Reviewed on 11/03/2022

Trade name: KMS HAIRPLAY Playable Texture [200ml; 75ml]

	(Contd. of page
· Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.
· Flash point:	Not applicable, as aerosol.
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosivair/vapor mixtures are possible.
· Vapor pressure at 20 °C (68 °F):	5,100 hPa (3.800 mm Hg)
· Density at 20 °C (68 °F):	0.8113 g/cm³ (6.7703 lbs/gal)
· Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	48.4 %
Water:	0.0 %
VOC content:	48.43 %
Solids content:	7.4 %
· Other information	No further relevant information available.

10 Stability and reactivity

- · Reactivity Extremely flammable gas. Hazardous polymerization does not take place.
- · Chemical stability The product is stable under standard conditions.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions Vapors can form a highly flammable mixture with air.
- Conditions to avoid

Material is stable. Avoid open flames and high temperatures

No further relevant information available.

· Incompatible materials:

Alkali metals, Alkaline earth metals, Powdered metals, powdered metal salts

· Hazardous decomposition products:

Decomposition products are hazardous. This material can be decomposed by high temperatures (open flames, glowing metal surfaces, etc.) forming

hydrofluoric acid and possibly carbonyl fluoride.

- US

Printing date 11/03/2022 Reviewed on 11/03/2022

Trade name: KMS HAIRPLAY Playable Texture [200ml; 75ml]

(Contd. of page 5)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 75-37-6 Hydrofluorocarbon 152a

Inhalative LC50/4 h 977 mg/l (mouse)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

· Carcinogenic	calegories	
· IARC (Interna	tional Agency for Research on Cancer)	
CAS: 64-17-5	Ethanol	1
CAS: 67-63-0	Isopropanol	3
NTP (Nationa	l Toxicology Program)	
None of the in	gredients is listed.	
· OSHA-Ca (Od	cupational Safety & Health Administration)	
None of the in	gredients is listed.	

12 Ecological information

- · Toxicity
- Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · **vPvB**: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

119

Printing date 11/03/2022 Reviewed on 11/03/2022

Trade name: KMS HAIRPLAY Playable Texture [200ml; 75ml]

(Contd. of page 6)

Transport information	
Transport information	
UN-Number DOT, ADR/RID/ADN, IMDG, IATA	UN1950
UN proper shipping name DOT IMDG IATA	Aerosols, flammable AEROSOLS AEROSOLS, flammable
Transport hazard class(es)	<u> </u>
DOT	
P.AMARE ELS	
Class Label	2.1 Gases 2.1
ADR/RID/ADN	
Class	2 5F Gases
Label	2.1
Class	2.1 Gases
Label	2.1
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Void
Environmental hazards:	Not applicable.
Special precautions for user Hazard identification number (Kemler of	Warning: Gases
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capa of 1 litre: Category A. For AEROSOLS with capacity above 1 litre: Category B. For WAS AEROSOLS: Category C, Clear of living quarte.
Segregation Code	SG69 For AEROSOLS with a maximum capa of 1 litre: Segregation as for class 9. Stow "separated fr class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivisio class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivisio

Printing date 11/03/2022 Reviewed on 11/03/2022

Trade name: KMS HAIRPLAY Playable Texture [200ml; 75ml]

	(Contd. of page
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
· Transport/Additional information:	
DOT	
· Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
· ADR/RID/ADN	
Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
MDC	
· IMDG · Limited quantities (LQ)	1/
· Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

· Sara

Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

CAS: 67-63-0 Isopropanol

CAS: 75-65-0 t-Butyl Alcohol

· TSCA (Toxic Substances Control Act):

All components have the value ACTIVE.

· Hazardous Air Pollutants

None of the ingredients is listed.

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

CAS: 64-17-5 Ethanol

Carcinogenic categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

	TLV	(Threshold	Limit	Value)
--	-----	------------	-------	-------	---

CAS: 64-17-5	Ethanol	А3
CAS: 67-63-0	Isopropanol	A4
CAS: 75-65-0	t-Butyl Alcohol	A4

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

(Contd. on page 9)

Printing date 11/03/2022 Reviewed on 11/03/2022

Trade name: KMS HAIRPLAY Playable Texture [200ml; 75ml]

(Contd. of page 8)

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H319 Causes serious eye irritation.

H336 May cause drowsiness or dizziness.

· Department issuing SDS: Regulatory Affairs

· Date of preparation / last revision 11/03/2022

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning

the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

BEI: Biological Exposure Limit

Flammable Aerosols 1: Aerosols - Category 1

Gases under Pressure - Compressed gas: Gases under pressure - Compressed gas

Flammable Liquids 2: Flammable liquids - Category 2

Eye Irritation 2A: Serious eye damage/eye irritation - Category 2A

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Aspiration Hazard 1: Aspiration hazard - Category 1