

Printing date 11/04/2022 Reviewed on 11/04/2022

1 Identification

- · Product identifier
- · Trade name: KMS HAIRPLAY Makeover Spray [75ml; 250ml]
- · Article number / Bulk number 137090: 137091
- · Product category PC39 Cosmetics, personal care products
- · Application of the substance / the mixture Hair cosmetics
- · Manufacturer/Supplier:

Kao USA Inc.

2535 Spring Grove Avenue Cincinnati, Ohio 45214 / USA KaoGermanySDS@kao.com

· Information department: CHEMTREC

Emergency telephone number: CHEMTREC (US): (0800) 424-9300

CHEMTREC (Outside US): +1 (703) 527-3887 (24h)

2 Hazard(s) identification

· Classification of the substance or mixture

Flammable Aerosols 1 H222 Extremely flammable aerosol.

Gases under Pressure - Compressed gas H280 Contains gas under pressure; may explode

if heated.

Specific Target Organ Toxicity - Single Exposure 3 H336 May cause drowsiness or dizziness.

Aspiration Hazard 1 H304 May be fatal if swallowed and enters airways.

- · Label elements
- · Hazard pictograms









GHS02 GHS04 GHS07 GHS08

- · Signal word Danger
- Hazard-determining components of labeling:

Pentane

dipentene

· Hazard statements

H222 Extremely flammable aerosol.

H280 Contains gas under pressure; may explode if heated.

H336 May cause drowsiness or dizziness.

H304 May be fatal if swallowed and enters airways.

· Precautionary statements

P210 Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

P211 Do not spray on an open flame or other ignition source. P251 Pressurized container: Do not pierce or burn, even after use.

Avoid breathing dust/fume/gas/mist/vapors/spray P261 P271 Use only outdoors or in a well-ventilated area.

P301+P310 If swallowed: Immediately call a poison center/doctor.

P331 Do NOT induce vomiting.

(Contd. on page 2)

Printing date 11/04/2022 Reviewed on 11/04/2022

Trade name: KMS HAIRPLAY Makeover Spray [75ml; 250ml]

(Contd. of page 1)

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P312 Call a poison center/doctor if you feel unwell.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

P410+P403 Protect from sunlight. Store in a well-ventilated place.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 0 Fire = 4 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous com	nponents:	
CAS: 109-66-0	Pentane	30-50%
	 Flammable Liquids 2, H225 Aspiration Hazard 1, H304 Specific Target Organ Toxicity - Single Exposure 3, H336 	
CAS: 64-17-5	Ethanol	2.5-10%
	🏇 Flammable Liquids 2, H225	
CAS: 9005-25-8	ZEA Mays (Corn) Starch	2.5-10%

4 First-aid measures

- Description of first aid measures
- · General information: No special measures required.
- · After inhalation: Supply fresh air; consult doctor in case of complaints.
- · After skin contact:

Immediately rinse with water.

Generally the product does not irritate the skin.

- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- Information for doctor: Treat symptomatically.
- Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)

Printing date 11/04/2022 Reviewed on 11/04/2022

Trade name: KMS HAIRPLAY Makeover Spray [75ml; 250ml]

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Vapors can form a highly flammable mixture with air

There is an overpressure. Fire or strong heat can cause violent rupture of packing.

Hazardous thermal decomposition products:

Hydrogen fluoride; fluorinated ingredients, carbon oxides,

Inhalation of decomposition products can cause health damage.

- Advice for firefighters
- · Protective equipment:

Mouth respiratory protective device.

Do not inhale explosion gases or combustion gases.

Wear fully protective suit.

· Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

Highly flammable. Vapours are heavier than air and may spread along floors. Vapours or gases may travel considerable distances to ignition source and flash back.

6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures
- Wear protective equipment. Keep unprotected persons away.
- Environmental precautions: Do not allow to penetrate the ground/soil.
- · Methods and material for containment and cleaning up:

Dispose contaminated material as waste according to item 13.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- · Information about protection against explosions and fires:

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50°C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- Storage:
- · Requirements to be met by storerooms and receptacles:

Store only in the original receptacle.

Observe official regulations on storing packagings with pressurized containers.

· Information about storage in one common storage facility: Not required.

(Contd. on page 4)

Printing date 11/04/2022 Reviewed on 11/04/2022

Trade name: KMS HAIRPLAY Makeover Spray [75ml; 250ml]

(Contd. of page 3)

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

CAS: 109-66-0 Pentane

TLV Long-term value: 1000 ppm

CAS: 64-17-5 Ethanol

TLV Short-term value: 1000 ppm

А3

CAS: 9005-25-8 ZEA Mays (Corn) Starch

PEL Long-term value: 15* 5** mg/m3

*total dust **respirable fraction

REL Long-term value: 10* 5** mg/m³

*total dust **respirable fraction

TLV Long-term value: 10 mg/m³

44

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes.

- · Breathing equipment: Not required.
- Protection of hands:



Protective gloves

Check protective gloves prior to each use for their proper condition.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Contd. on page 5)

Printing date 11/04/2022 Reviewed on 11/04/2022

Trade name: KMS HAIRPLAY Makeover Spray [75ml; 250ml]

· Eye protection:



Goggles recommended during refilling.

(Contd. of page 4)

Physical and chemical prope	rties
· Information on basic physical and · General Information · Appearance:	chemical properties
Form:	Aerosol
Color:	Colorless
· Odor:	Characteristic
Odor threshold:	Not determined.
· pH-value:	Not determined.
· Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	Not applicable, as aerosol.
· Flash point:	Not applicable, as aerosol.
· Flammability (solid, gaseous):	Not applicable.
Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
· Danger of explosion:	Product is not explosive. However, formation of explosive a vapor mixtures are possible.
· Vapor pressure at 20 °C (68 °F):	5,100 hPa (3.800 mm Hg)
· Density at 20 °C (68 °F):	0.795 g/cm³ (6.63428 lbs/gal)
Relative density	Not determined.
· Vapor density	Not determined.
· Evaporation rate	Not applicable.
· Solubility in / Miscibility with	Fully mineible
Water:	Fully miscible.
· Partition coefficient (n-octanol/wate	er): Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
· Solvent content:	
Organic solvents:	49.5 %
Water:	0.0 %
VOC content:	49.52 %
Solids content:	4.2 %
· Other information	No further relevant information available.

Printing date 11/04/2022 Reviewed on 11/04/2022

Trade name: KMS HAIRPLAY Makeover Spray [75ml; 250ml]

(Contd. of page 5)

10 Stability and reactivity

- · Reactivity Extremely flammable gas. Hazardous polymerization does not take place.
- · Chemical stability The product is stable under standard conditions.
- Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions Vapors can form a highly flammable mixture with air.
- · Conditions to avoid

Material is stable. Avoid open flames and high temperatures

No further relevant information available.

- · Incompatible materials: Alkali metals, Alkaline earth metals, Powdered metals, powdered metal salts
- · Hazardous decomposition products:

Decomposition products are hazardous. This material can be decomposed by high temperatures (open flames, glowing metal surfaces, etc.) forming

hydrofluoric acid and possibly carbonyl fluoride.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

CAS: 75-37-6 Hydrofluorocarbon 152a

Inhalative LC50/4 h 977 mg/l (mouse)

- · Primary irritant effect:
- · on the skin: No irritant effect.
- · on the eye: No irritating effect.
- · Sensitization: No sensitizing effects known.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

· Carcinogenic categories

•	tional Agency for Research on Cancer)	
CAS: 64-17-5	Ethanol	1
CAS: 67-63-0	Isopropanol	3
· NTP (National	l Toxicology Program)	
None of the ing	gredients is listed.	
· OSHA-Ca (Oc	cupational Safety & Health Administration)	
None of the ing	gredients is listed.	

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.

(Contd. on page 7)

Printing date 11/04/2022 Reviewed on 11/04/2022

Trade name: KMS HAIRPLAY Makeover Spray [75ml; 250ml]

(Contd. of page 6)

- · Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation: Smaller quantities can be disposed of with household waste.
- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.
- · Recommended cleansing agent: Water, if necessary with cleansing agents.

7/ 1ranch	ort int	ormot	uo n
14 Transp			,,,,,,,
		Ulliat	

	U	N-N	lum	ber
--	---	-----	-----	-----

· DOT, ADR/RID/ADN, IMDG, IATA UN1950

· UN proper shipping name

· DOT Aerosols, flammable

· IMDG **AEROSOLS**

AEROSOLS, flammable ·IATA

- · Transport hazard class(es)
- · DOT



2.1 Gases · Class 2.1

· Label

· ADR/RID/ADN



· Class 2 5F Gases

2.1

· Label

· IMDG, IATA



· Class 2.1 Gases

(Contd. on page 8)

Printing date 11/04/2022 Reviewed on 11/04/2022

Trade name: KMS HAIRPLAY Makeover Spray [75ml; 250ml]

	(Contd. of pag
Label	2.1
Packing group DOT, ADR/RID/ADN, IMDG, IATA	Void
Environmental hazards:	Product contains environmentally hazardo substances: Pentane
Special precautions for user Hazard identification number (Kemler cod EMS Number:	Warning: Gases le): - F-D.S-U
Stowage Code	SW1 Protected from sources of heat. SW22 For AEROSOLS with a maximum capacity o litre: Category A. For AEROSOLS with a capac above 1 litre: Category B. For WASTE AEROSOL Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of litre: Segregation as for class 9. Stow "separated fro class 1 except for division 1.4. For AEROSOLS with a capacity above 1 litre: Segregation as for the appropriate subdivision class 2. For WASTE AEROSOLS: Segregation as for the appropriate subdivision class 2.
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
DOT Quantity limitations	On passenger aircraft/rail: 75 kg On cargo aircraft only: 150 kg
ADR/RID/ADN Excepted quantities (EQ)	Code: E0 Not permitted as Excepted Quantity
IMDG Limited quantities (LQ) Excepted quantities (EQ)	1L Code: E0 Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1, ENVIRONMENTAL

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available.
- Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients is listed.

(Contd. on page 9)

Printing date 11/04/2022 Reviewed on 11/04/2022

Trade name: KMS HAIRPLAY Makeover Spray [75ml; 250ml]

(Contd. of page 8) · Section 313 (Specific toxic chemical listings): CAS: 67-63-0 Isopropanol CAS: 75-65-0 t-Butyl Alcohol · TSCA (Toxic Substances Control Act): All components have the value ACTIVE. · Hazardous Air Pollutants None of the ingredients is listed. · Chemicals known to cause cancer: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed. · Chemicals known to cause reproductive toxicity for males: None of the ingredients is listed. · Chemicals known to cause developmental toxicity: CAS: 64-17-5 Ethanol · Carcinogenic categories EPA (Environmental Protection Agency) None of the ingredients is listed. · TLV (Threshold Limit Value) CAS: 64-17-5 Ethanol *A3* CAS: 9005-25-8 ZEA Mays (Corn) Starch A4 CAS: 67-63-0 Isopropanol A4 CAS: 75-65-0 t-Butyl Alcohol Α4 · NIOSH-Ca (National Institute for Occupational Safety and Health) None of the ingredients is listed.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

· Relevant phrases

H225 Highly flammable liquid and vapor.

H304 May be fatal if swallowed and enters airways.

H336 May cause drowsiness or dizziness.

- · Department issuing SDS: Regulatory Affairs
- · Date of preparation / last revision 11/04/2022
- · Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 10)

Printing date 11/04/2022 Reviewed on 11/04/2022

Trade name: KMS HAIRPLAY Makeover Spray [75ml; 250ml]

(Contd. of page 9)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit

Flammable Aerosols 1: Aerosols – Category 1
Gases under Pressure - Compressed gas: Gases under pressure – Compressed gas
Flammable Liquids 2: Flammable liquids – Category 2

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

Aspiration Hazard 1: Aspiration hazard - Category 1