Printing date 10/12/2016

Reviewed on 10/12/2016

## 1 Identification

- · Product identifier
- · Trade name: KMS Hair Stay Working Hairspray
- · Article number: 142061 75ml / 142062 300ml
- · Application of the substance / the mixture Hair Cosmetics
- Manufacturer/Supplier: Kao USA Inc.
   2535 Spring Grove Avenue Cincinnati, Ohio 45214 / USA KaoGermanySDS @kao.com
- · Information department: CHEMTREC
- Emergency telephone number: CHEMTREC (US): (800)424-9300 CHEMTREC (Outside US): +1 (703) 527-3887 (24h)

# 2 Hazard(s) identification

## · Classification of the substance or mixture

Flam. Aerosol 1 H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

Skin Sens. 1	H317	May cause an allergic skin reaction.
STOT SE 3	H336	May cause drowsiness or dizziness.
Asp. Tox. 1	H304	May be fatal if swallowed and enters airways.

· Label elements

· Hazard pictograms



· Signal word Danger

#### · Hazard-determining components of labeling:

pentane isopropyl alcohol

Fragrance · Hazard statements

H222-H229 Extremely flammable aerosol. Pressurized container: May burst if heated.

- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.

#### · Precautionary statements

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray
- P271 Use only outdoors or in a well-ventilated area.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P331 Do NOT induce vomiting.

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.


(Contd. on page 2)

US

Printing date 10/12/2016

Reviewed on 10/12/2016





· vPvB: Not applicable.

# 3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous co	mponents:		
CAS: 75-37-6	1,1-difluoroethane	🔗 Press. Gas, H280	25-50%
CAS: 64-17-5	ethanol	🚸 Flam. Liq. 2, H225	25-50%
CAS: 109-66-0	pentane	<ul> <li>Flam. Liq. 2, H225</li> <li>Asp. Tox. 1, H304</li> <li>STOT SE 3, H336</li> </ul>	10-30%
CAS: 67-63-0	isopropyl alcohol	Flam. Liq. 2, H225 Eye Irrit. 2A, H319; STOT SE 3, H336	2.5-<10%
	Fragrance	Asp. Tox. 1, H304 Skin Irrit. 2, H315; Skin Sens. 1, H317 Flam. Liq. 4, H227	0.2-0.7%

## <u>4 First-aid measures</u>

- · Description of first aid measures
- · After inhalation:
- Supply fresh air and to be sure call for a doctor.
- In case of unconsciousness place patient stably in side position for transportation.
- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.
- · After swallowing: If symptoms persist consult doctor.
- · Information for doctor: Treat symptomatically.
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

# 5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.

(Contd. on page 3)

US -

(Contd. of page 2)

# Safety Data Sheet acc. to OSHA HCS

Printing date 10/12/2016

Reviewed on 10/12/2016

#### Trade name: KMS Hair Stay Working Hairspray

- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

#### 6 Accidental release measures

- Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away.
- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- *Methods and material for containment and cleaning up:* Dispose contaminated material as waste according to item 13. Ensure adequate ventilation.
- Reference to other sections
   See Section 7 for information on safe handling.
   See Section 8 for information on personal protection equipment.
   See Section 13 for disposal information.

## 7 Handling and storage

- · Handling:
- · Precautions for safe handling Ensure good ventilation/exhaustion at the workplace.
- Information about protection against explosions and fires: Do not spray on a naked flame or any incandescent material. Keep ignition sources away - Do not smoke. Prossurized container: protect from sunlight and do not expose

Pressurized container: protect from sunlight and do not expose to temperatures exceeding 50 °C, i.e. electric lights. Do not pierce or burn, even after use.

- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles:

Observe official regulations on storing packagings with pressurized containers.

- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.
- 8 Exposure controls/personal protection

· <b>Con</b> The reco	ntrol parameters nponents with limit values that require monitoring at the workplace: following constituents are the only constituents of the product which have a PEL, TLV or other paramended exposure limit. his time, the other constituents have no known exposure limits.
	S: 64-17-5 ethanol (25-50%)
	Long-term value: 1900 mg/m <sup>3</sup> , 1000 ppm Short-term value: 1880 mg/m <sup>3</sup> , 1000 ppm <b>5: 109-66-0 pentane (10-30%)</b>
REL	Long-term value: 350 mg/m <sup>3</sup> , 120 ppm Ceiling limit value: 1800* mg/m <sup>3</sup> , 610* ppm *15-min (Contd. on page 4)

Printing date 10/12/2016

Reviewed on 10/12/2016

## Trade name: KMS Hair Stay Working Hairspray

<b>T</b> () (	(Contd. of page
	Long-term value: 2950 mg/m³, 1000 ppm
	: 67-63-0 isopropyl alcohol (2.5-<10%)
	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
REL	Short-term value: 1225 mg/m <sup>3</sup> , 500 ppm
	Long-term value: 980 mg/m <sup>3</sup> , 400 ppm
ILV	Short-term value: 984 mg/m <sup>3</sup> , 400 ppm
	Long-term value: 492 mg/m³, 200 ppm BEI
· Ingr	edients with biological limit values:
CAS	: 67-63-0 isopropyl alcohol (2.5-<10%)
	40 mg/L
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Acetone (background, nonspecific)
· Add	itional information: The lists that were valid during the creation were used as basis.
	osure controls
	onal protective equipment:
· Gen	eral protective and hygienic measures:
Keep	o away from foodstuffs, beverages and feed.
	ediately remove all soiled and contaminated clothing.
	h hands before breaks and at the end of work.
	ithing equipment:
	nse of brief exposure or low pollution use respiratory filter device. In case of intensive or long
	sure use respiratory protective device that is independent of circulating air.
· Prot	ection of hands:
	Not required under normal conditions. The details concerned are recommendations.
- And	The glove material has to be impermeable and resistant to the product / the substance
	the preparation.
	<ul> <li>Due to missing tests no recommendation to the glove material can be given for the glove material can be given for the product (the product) of the glove material can be given for the glove material can be glove material can be given for the glove material can be glove ma</li></ul>
	product/ the preparation/ the mixture.
	Selection of the glove material on consideration of the penetration times, rates
	diffusion and the degradation Please contact the glove supplier for futher information.
	erial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further mar
	ality and varies from manufacturer to manufacturer. As the product is a preparation of seve
	stances, the resistance of the glove material can not be calculated in advance and h
	efore to be checked prior to the application.
	etration time of glove material
	exact break through time has to be found out by the manufacturer of the protective gloves a
	to be observed.
· Eye	protection:
(	Not required under normal conditions
(C).	Not required under normal conditions
	If there is a risk of splashing: safety glasses

# 9 Physical and chemical properties

- · Information on basic physical and chemical properties
- General Information
   Appearance: Form:
- - Color:

Liquid Colorless

(Contd. on page 5)

US

Printing date 10/12/2016

#### Reviewed on 10/12/2016

#### Trade name: KMS Hair Stay Working Hairspray

	(Contd. of page 4)
· Odor:	Characteristic
· Odor threshold:	Not determined.
· pH-value:	Not determined.
<ul> <li>Change in condition Melting point/Melting range: Boiling point/Boiling range:</li> </ul>	Undetermined. Not applicable, as aerosol.
· Flash point:	11 °C (52 °F)
· Flammability (solid, gaseous):	Not applicable.
· Decomposition temperature:	Not determined.
· Auto igniting:	Product is not selfigniting.
• Danger of explosion:	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
<ul> <li>Vapor pressure at 20 °C (68 °F):</li> </ul>	5100 hPa (3825 mm Hg)
<ul> <li>Density at 20 °C (68 °F):</li> <li>Relative density</li> <li>Vapor density</li> <li>Evaporation rate</li> </ul>	0.8318 g/cm³ (6.941 lbs/gal) Not determined. Not determined. Not applicable.
<ul> <li>Solubility in / Miscibility with Water:</li> </ul>	Not miscible or difficult to mix.
· Partition coefficient (n-octanol/wate	er): Not determined.
<ul> <li>Viscosity:</li> <li>Dynamic:</li> <li>Kinematic:</li> </ul>	Not determined. Not determined.
<ul> <li>Solvent content: Organic solvents: Water: VOC content:</li> </ul>	53.4 % 0.1 % 53.4 %
Solids content: • Other information	14.8 % No further relevant information available.

# 10 Stability and reactivity

· Reactivity No dangerous reactions known if used as directed.

- · Chemical stability The product is stable under standard conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known.

· Conditions to avoid No further relevant information available.

· Incompatible materials: No further relevant information available.

· Hazardous decomposition products: No dangerous decomposition products known.

#### 11 Toxicological information

· Information on toxicological effects

· Acute toxicity:

· Primary irritant effect:

- on the skin: No irritant effect.
- on the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.

(Contd. on page 6)

<sup>-</sup> US

(Contd. of page 5)

1

3

3

# Safety Data Sheet acc. to OSHA HCS

Reviewed on 10/12/2016

#### Trade name: KMS Hair Stay Working Hairspray

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

#### · Carcinogenic categories

· IARC (International Agency for Research on Cancer)

#### CAS: 64-17-5 ethanol

CAS: 67-63-0 isopropyl alcohol

CAS: 5989-27-5 (R)-p-mentha-1,8-diene

· NTP (National Toxicology Program)

None of the ingredients is listed.

#### · OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

#### 12 Ecological information

#### · Toxicity

- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Danger to drinking water if even small quantities leak into the ground.

- · Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

#### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

UN-Number		
DOT, IMDG, IATA	UN1950	
UN proper shipping name		
DOT	Aerosols, flammable	
IMDG	AEROSÓLS	
IATA	AEROSOLS, flammable	

Printing date 10/12/2016

Reviewed on 10/12/2016

Trade name:	KMS Hair	Stav I	Workina	Hairsprav
made manne.	/	ouy .	. Chung	nan opray

Tropoport borord class(ac)	(Contd. of pag
Transport hazard class(es)	
DOT	
revenue as	
Class	2.1
Label	2.1
IMDG, IATA	
	- /
Class Label	2.1 2.1
	2.1
Packing group DOT, IMDG, IATA	-
Environmental hazards:	Not applicable.
Special precautions for user	Warning: Gases
Danger code (Kemler):	-
EMS Number:	F-D,S-U
Stowage Code	SW1 Protected from sources of heat.
	SW22 For AEROSOLS with a maximum capacity
	1 litre: Category A. For AEROSOLS with a capac above 1 litre: Category B. For WASTE AEROSOL
	Category C, Clear of living quarters.
Segregation Code	SG69 For AEROSOLS with a maximum capacity of
Segregation bode	litre: Segregation as for class 9. Stow "separat
	from" class 1 except for division 1.4. For AEROSO
	with a capacity above 1 litre: Segregation as for t
	appropriate subdivision of class 2. For WAS
	AEROSOLS: Segregation as for the appropria
	subdivision of class 2.
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.
Transport/Additional information:	
DOT	
Quantity limitations	On passenger aircraft/rail: 75 kg
	On cargo aircraft only: 150 kg
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E0
	Not permitted as Excepted Quantity
UN "Model Regulation":	UN 1950 AEROSOLS, 2.1

(Contd. on page 8)

Printing date 10/12/2016

Reviewed on 10/12/2016

Trade name: KMS Hair Stay Working Hairspray

(Contd. of page 7)

# 15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):
- None of the ingredients is listed.
- · Section 313 (Specific toxic chemical listings):
- CAS: 67-63-0 isopropyl alcohol
- TSCA (Toxic Substances Control Act):

All ingredients are listed.

- Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients is listed.

- Chemicals known to cause reproductive toxicity for females: None of the ingredients is listed.
- · Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

- · Chemicals known to cause developmental toxicity:
- CAS: 64-17-5 ethanol
- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients is listed.

- · TLV (Threshold Limit Value established by ACGIH)
- CAS: 64-17-5 ethanol

CAS: 67-63-0 isopropyl alcohol

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

#### · Relevant phrases

H225 Highly flammable liquid and vapor.
H227 Combustible liquid.
H280 Contains gas under pressure; may explode if heated.
H304 May be fatal if swallowed and enters airways.
H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness. **Department issuing SDS:** Regulatory Affairs

· Date of preparation / last revision 10/12/2016 / -

Abbreviations and acronyms:
 IMDG: International Maritime Code for Dangerous Goods
 DOT: US Department of Transportation
 IATA: International Air Transport Association
 ACGIH: American Conference of Governmental Industrial Hygienists
 EINECS: European Inventory of Existing Commercial Chemical Substances
 ELINCS: European List of Notified Chemical Substances

A3

A4

Printing date 10/12/2016

Reviewed on 10/12/2016

## Trade name: KMS Hair Stay Working Hairspray

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Aerosol 1: Aerosols – Category 1 Press. Gas: Gases under pressure – Liquefied gas Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 4: Flammable liquids – Category 2 Skin Irrit. 2: Skin corrosion/irritation – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A Skin Sens. 1: Skin sensitisation – Category 1	(Contd. of page 8)
Skin Irrit. 2: Skin corrosion/irritation – Category 2	
Skin Sens. 1: Skin sensitisation – Category 1	
STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1	
• * Data compared to the previous version altered.	10